OOK

dth	Depth 6	Contents 7	*Reference to last Measurement 8

M. A. R. 57 (Rule 116)
Measurement Book

SBRNO: 35/07-08 (B)

No. B

First & Final Bill

Est. cost: 20.00 lakhs

494414

Serial No. .....

Name of Work Construction of School Building in Narasipura in Ward no: 9 in Vedhapanchayath Sub division From ..... To .....

Name of Contractor or nature of Agency Sri. Hemadri Reddy

Date of commencement of work EE/BTP/BBMP/E-1m/95/2014-15

Date: 8.01.2015

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	(1) Providing and Removing centering, shuttering, stutting poopping etc, and removal of from work for foundations, footings, bases of columns for mass concrete including cost of all materials, labours etc, complete as per specifications						
	Narasipura School Building For column	14	1.36	—	3.50	66.64	m^2
		7	1.26	—	3.50	29.40	-11-
					Total	96.04	m^2
					@ 240 —		23050 —
	(2) Providing and Removing centering shuttering poopping etc for chajjas coobels						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	etc including Edges including cost of all materials, labour complete as per specifications.	6×1	1.60	0.60	–	5.76 m^2	
	@250-				Total:	5.76 m^2	1440-
(3)	providing and Removing centering shuttering, staulting, propping etc, and removal of form work for flat surface such as suspended floors, roofs landings balconies and like, thickness up to 200 mm including cost of all materials labour complete as per specifications						
	For Roof Rooms	1×1	26.0	8.60	–	223.60 m^2	
	Room Beams	2×1	26.0	1.03	–	53.56	-11-
		1×1	26.0	0.90	–	23.40	-11-
		7×1	5.70	1.03		41.10	-11-

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work
	2
	CTE Mysuru
	Assistant Executive Engi... Vidyaranyapura Sub Divi... BBMP, Bangalore-97
4)	granite jelly of 3 to... layers and well compac... Mortar form Works and... lead and lifts etc, com... Ready mixed cement conc...

Secandary beams.

MENT BOOK

Dimensions			Contents	*Reference to last Measurement
ength 4	Breadth 5	Depth 6	7	8
ost of all materials, labour complete				
60	0.60	–	5.76	m²
@250		Total:	5.76	m² 1440
tering shuttering, staulting, propping k for flat surface such as suspended ours and likes thickness up to 200 mm labour complete as per specifications				
6.0	8.60	–	223.60	m²
6.0	1.03	–	53.56	–"–
6.0	0.90	–	23.40	–"–
.70	1.03		41.10	–"–

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494415

erial No. .....
ame of Work ..... From..... To.....
ame of Contractor of nature of Agency .....
ate of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	C/F	4×1	2.30	0.90	–	8.28	m²
		4×1	26.00	0.20	–	20.80	–"–
		8×1	5.70	0.20	–	9.12	–"– 6641
4)	Assistant Executive Engineer Vidyaranyapura Sub Division BBMP, Bangalore-97	@310-			Total:	379.86	m² 117757-

Providing and laying cement concrete using 20mm and down gauge granite jelly of ready mixed concrete for RCC works laid in 15cms thick layers and well compacted vibrating curing finishing with necessary cement mortar form works and scaffoldings to withstand pumping of concrete with all lead and lifts etc, complete (exclusive of cost of steel and fabrication charges) Ready mixed cement concrete M20 (1:1.5:3) for raft foundation column footing main and secondary beams.

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Reference to last Measurement	
		Number	Length	Breadth	Depth			
1	2	3	4	5	6	7	8	
	For column	14×1	0.45	0.23	3.50	5.07	m^3	
		7×1	0.23	0.23	3.50	1.30	-11-	
	For Lintel	2×1	26.00	0.23	0.15	1.79	-11-	
		4×1	5.70	0.23	0.15	0.79	-11-	
	For Beam	2×1	26.00	0.23	0.40	4.78	-11-	
		7×1	5.70	0.23	0.40	3.67	-11-	
		1×1	26.00	0.23	0.30	1.79	-11-	
	For Roof slab	4×1	2.30	0.23	0.30	0.63	-11-	
		1×1	26.00	8.60	0.15	33.54	-11-	
					Total:	53.37	m^3	
5)	Providing and laying in position RCC of mix M_{20} with OPC cement @ 24 kgs with 12mm and down size graded granite metal coarse							

@ 6600 - 352242 -

erial No. .....
ame of Work .....
ame of Contractor of nature of Agenc
ate of commencement of work .....

Date	Full description, etc, of work
	2
	aggregates @ 0.517 @ 0.225 lts, Machine Thickness upto groun machinery curing co
6)	Providing TMT & cutting bedding hoo Required tying with wherever necessary

ENT BOOK

Dimensions			Contents	Reference to last Measurement
gth 4	Breadth 5	Depth 6	7	8
45	0.23	3.50	5.07	m^3
23	0.23	3.50	1.30	-11-
.00	0.23	0.15	1.79	-11-
10	0.23	0.15	0.79	-11-
.00	0.23	0.40	4.78	-11-
10	0.23	0.40	3.67	-11-
.00	0.23	0.30	1.79	-11-
30	0.23	0.30	0.63	-11-
.00	8.60	0.15	33.54	-11-
		Total:	53.37	m^3

@ 6600 -

on RCC of mix M_{20} with opc cement size graded granite metal coarse

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494416

erial No. .....
ame of Work ..... From..... To.....
ame of Contractor of nature of Agency .....
ate of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	aggregates @ 0.5175 cum and fine aggregates @ 0.345 m3 with superplastisiser @ 0.225 lts, Machine mixed well compacted for plan chajja of 7.5cms average Thickness upto ground floor Level including cost of all materials labour TOM of machinery curing complete as per specifications.	6x1	1.60	0.60	-	5.76 m²	2592-00
				@ 450-	Total:	5.76 m²	
(6)	providing TMT steel Reinforcement for RCC work including straightening cutting bending hooking, placing in position, lapping and or welding wherever Required tying with binding wire and anchoring to the adjoining members wherever necessary complete as per design (lap, hooks and wastage shall not be						

352242-

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Measured and paid) cost of materials, labour H&M of Machinery complete as per specifications.						
	For Roof, columns, & Beams @ 120kg/m³	1.2 ×	53.37	—		64.05	Qntl. kg
	For Chajjas @ 70kg/m³	0.07	5.76	—		0.40	Qntl.
					Total	64.45	Qntl. 480153-
(T)	Providing and constructing burnt Brick masonry with approved Quality of modular bricks of standard size of Class designation 50 (table moulded) with cement mortar 1:6 for basement and superstructure including cost of materials Labour charges, scaffolding, curing complete as per specification @ 7450-						
	For Long walls	2×1	26.00	0.23	2.56	29.90	m³

erial No. .....
ame of Work .....
ame of Contractor of nature of Agency ...
ate of commencement of work .....

Date	Full description, etc, of work
	2
	Shear wall
	Parapet- wall
	for Deduction portion
	For Doors
	For windows
	For Lintel

EMENT BOOK

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
aterials, labour H&M of Machinery complete				
			Qntl.	
53.37	—		64.05	~~Kg~~
			0.40	Qntl.
5.76	—			480153-
		Total	64.45	Qntl.
@ 7450-				
burnt Brick masonry with approved standard size of class designation 50 mortar 1:6 for basement and superstructure labour charges, scaffolding, curing complete				
26.00	0.23	2.56	29.90	m³

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494417

erial No. .....
ame of Work ..... From..... To.....
ame of Contractor of nature of Agency .....
ate of commencement of work .....

Date	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Short wall	4×1	5.70	0.23	2.50	13.11	m³
	Parapet wall	2×1	26.00	0.23	0.60	7.18	-11-
		1×1	26.00	0.23	1.00	5.98	-11-
		1×1	2.30	0.23	1.00	0.53	-11-
						58.27	m³
	For Deduction portion						
	For Doors	3×1	1.20	0.23	2.10	1.74	-11-
	For windows	6×1	1.50	0.23	1.20	2.48	-11-
	For Lintel	2×1	26.00	0.23	0.15	1.79	-11-
		4×1	5.70	0.23	0.15	0.79	-11-
						6.80	m³

Total : 58.27 − 6.80 = 51.47 m³
51.46.
@ 6200-
319052-

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
8)	Providing and laying including preparation of surfaces as required for bal conies, terraces etc, consisting of following grouting a slurry coat of neat cement using 2.75 kg/m² conforming admixed with proprietary water proofing compound conforming to IS 2645 over the RCC slab after cleaning the surface before treatment (b) laying cement concrete using broken brick bats 25 mm to 100 mm size with 90 % of cement mortar 1:5 admixed with proprietary water proofing compound conforming IS 2645 over 20 mm thick layer of cement layer of cement mortar 1:5 admixed with proprietary water proofing compound to required slope and treating similarly the adjoining walls upto 300 mm height including rounding off junction of walls and slabs (c) after two days of proper curing, applying a second coat of cement slurry admixed with proprietary water proofing compound (d) Finishing the surface with 20 mm thick Jointless cement mortar	integral cement based water proofing treatment treatment of roofs					

erial No. .....
ame of Work .....
ame of Contractor of nature of Agency .....
ate of commencement of work .....

Date	Full description, etc, of work	No
	2	
	For Roof	
(a)	Providing 12 mm thick cem including rounding off co removing scaffolding, inclu & specifications.	
	For Rooms	3 X
	For Verandah	1 X
	For Beams	3 X
	For Front Beams	8 X

MENT BOOK

Dimensions			Contents	*Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
al cement based, Water proofing treatment				
ces as required for treatment of roofs				
of following application (a) Applying and				
ement using 2.75 kg/m² conforming admixed				
ompound conforming to IS 2645 over the				
ce before treatment (b) laying Cement				
25 mm to 100 mm size with 50 % of cement				
asy water proofing compound conforming				
cement layer of cement mortar 1:5 admixed				
pound to required slope and treating similarly				
ght including rounding off Junction of walls				
per curing, applying a second coat of				
etasy water proofing compound (d) finishing				
less cement mortar				

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494418

erial No. .....
ame of Work ..... From..... To.....
ame of Contractor of nature of Agency .....
ate of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	For Roof	1×1	26.00	8.20	–	213.20	m²
					Total:	213.20	m²
					@ 820 –		174824 –
(a)	providing 12 mm thick cement plaster in single coat with cement mortar 1:3 to ceiling including rounding off corners wherever required & smooth rendering, providing and removing scaffolding, including cost of materials labour curing complete as per specifications.						
	For Rooms	3×1	8.40	5.70	–	143.64	m²
	For Verandah	1×1	26.00	2.50	–	65.00	–11–
	For Beams	3×1	5.70	0.40	–	6.840	–11–
	For Front Beams	3×1	2.30	0.30	–	5.52	–11–
					Total:	221.00	m²
					@ 180 –		39780 –

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
10	Providing 20mm thick cement plaster in single coat with cement mortar 1:4 to stone masonry including rounding off corners wherever required smooth Rendering; providing and removing scaffolding including cost of materials labour curing complete as per specifications.						
	For Inside walls	3x8	8.40	3.00	–	151.20	m^2
		3x8	5.70	3.00	–	102.60	-11-
		1x1	26.00	3.00	–	78.00	-11-
					Total	331.80	m^2
	For Deductions						
	Doors	3x0.5	1.20	–	2.10	3.78	-11-
	Windows.	9x0.5	1.50	–	1.20	8.10	
					Total:	11.88	m^2
		Net Total:		331.80	- 11.88	= 319.92	m^2

Assistant Executive Engineer
Vidyaranyapura Sub Division-97
BBMP, Bangalore

@ 220. 70382-

erial No. .....
ame of Work .....
ame of Contractor of nature of Agenc
ate of commencement of work .....

ate	Full description, etc, of work
	2
11)	Providing lime ren materials labour, com same Qty vide
12)	Providing wall black ete, complete as per
13)	Providing 18mm th

MENT BOOK

Dimensions			Contents	*Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
Plaster in single coat with cement including rounding off corners wherever providing and removing scaffolding including complete as per specifications.				
8.40	3.00	–	151.20	m²
5.70	3.00	–	102.60	"
26.00	3.00	–	78.00	"
		Total	331.80	m²
1.20	–	2.10	3.78	"
1.50	–	1.20	8.10	
		Total:	11.88	m²
Total:	331.80	- 11.88	= 319.92	m²

@ 220. 70382-

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494419

erial No. .....
ame of Work ..... From..... To.....
ame of Contractor of nature of Agency .....
ate of commencement of work .....

ate	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
11)	Providing lime rendering for plastering to wall and celling including cost of materials labour, curing complete as per specifications.						
	Same Qty vide Item No: 9 + Item No 10						
	= 221.00 + 319.92 =					540.92	m²
							15146-
12)	Providing wall black boards in CM 1:3 two coats of black paint including finishing etc, complete as per specifications. @ 28.-						
		3 x 1	2.60	1.35	–	10.53	m²
					@ 950 - Total	10.53	m²
							10004-
13)	Providing 18mm thick cement plaster in single coat with cement mortar 1:6						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	to brick masonry including rounding off corners wherever required & smooth rendering providing and removing Scaffolding including cost of materials labour curing complete as per specifications.						
	out side	1×1	26.00	–	4.00	104.00	m^2
		2×1	6.16	–	4.00	49.28	"
		7×1	1.20	–	3.00	25.20	"
	Parapet wall	2×1	26.00	–	0.75	39.00	"
	Front wall Verandah	2×1	8.50	–	0.75	12.75	"
		2×1	26.00	–	0.80	41.60	"
					Total:	271.83	m^2
	For Deductions						
	Doors	3×0.5	1.20	–	2.10	3.78	m^2
	Windows	6×0.5	1.50	–	1.20	5.40	"
					Total:	9.18	m^2

Net Total : 271.83 - 9.18 = 262.65 m^2

@ 190 - 49904

erial No. .....
ame of Work .....
ame of Contractor of nat
ate of commencement of

ate	Full description,
	2
14)	providing and 1:25 mm thick door openings with lock rail 250 mm width bonded with proof heat re for a period o direction fro paint 2 coats equipment a

EMENT BOOK

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
rounding off corners wherever required & smooth				
moving Scaffolding including cost of				
ete as per specifications.				
26.00	–	4.00	104.00	m^2
6.16	–	4.00	49.28	"
1.20	–	3.00	25.20	"
26.00	–	0.75	89.00	"
8.50	–	0.75	12.75	"
26.00	–	0.80	41.60	"
		Total:	271.83	m^2
0.5 1.20	–	2.10	3.78	m^2
0.5 1.50	–	1.20	5.40	"
		Total:	9.18	m^2

Net Total: 271.83 - 9.18 = 262.65 m^2

@ 190 – 49904

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494420

erial No. .....

ame of Work ..... From..... To.....

ame of Contractor of nature of Agency .....

ate of commencement of work .....

Date	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
14)	providing and fixing pressed steel door frames size 25 x 65 mm manufacture from 1.25 mm thick carbon steel or imported steel strips with mitred joints of 90° for door openings and shutters made out of seasoned honne wood styles of 30 mm thick with lock rail of 160 mm width top and side rails of 100 mm, width and bottom rails of 250 mm width and panel filling with 12 mm thick particle board of exterior grade bonded with phenol formaldehide resin and the shutter shall be not proof vermin proof heat resistant guaranteed against shrinkage warpage and such other defects for a period of years This shall be as per approved drawings specifications and direction including cost of conveyance manufacturing painting with enamel paint 2 coats over primer coat cost of labour for all items of work machinery Equipment and all other incidental charges with all lead lift loading and						

NT BOOK

mensions		Contents	Reference to last Measurement
Breadth 5	Depth 6	7	8
ecurity and Energy Saving DP			
erate on 230 Volts 50 Hz Ac supply			
box Group 'A'			
–	–	1.0	650 –
ircuite breakers on Existing			
ecessary fixing materials and			
Amps.			
–	–	1.0	
board made of not less than			
n planks made out of not more			
e to the wall using tapered			

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494426

erial No. .....
ame of Work ..... From..... To.....
ame of Contractor of nature of Agency .....
ate of commencement of work .....

ate	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Inverted Wooden plugs Screws etc, 20" x 20" x 2.5"	1x1	–	–	–	1.0	295 –
38)	Supplying and fixing of Poocelain fuse channel @ 295. with cut out on existing Wood						
	panel using necessary nuts, bolts and washers etc, complete 32 Amps	3x1	–	–	–	3.0 @ 190 –	330 –
39)	Supplying fixing wiring Earth electrode for Grounding conduits Ic outouts and other Equipment on the meter board using 40mmφ 2.90 thick GI pipe 2.5mts long buried in a pit The pit should be filled with Equal proportion of salt and charcol 150mm around the pipe to complete depth. The connection from the pipe to the conduit etc is to be established through GI wire of size						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	as IS1 specification 7.3.3 of Its 7.32 using 12mm dia nuts washers and checknuts etc, the pipe shall have 16 Through holes of 22 mm ϕ.	1x1	-	-	-	1.0	2100

Certificates

1) The contractor has done the work satisfactorily.

2) The contractor has remove the debris from the work spot.

AE 25/07/2018

Assi... ...eer
Vidyaran... ...Division
BBMP, Bangalore - 97

rial No. .....
me of Work .....
me of Contractor of nature of Agency .....
te of commencement of work .....

ate	Full description, etc, of work
	2
SL NO	Particulars
1)	Providing and Removing Centering & Shuttering (columns)
2)	— " — (For Chajjas)
3)	— " — (For Roofs)
4)	M_{20} (1:1.5:3)
5)	RCC of mix M_{20}

MENT BOOK

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
f its 7.32 V-ring			12mm dia nuts	
e pipe shall			have 16 Through holes of	
1	—	—	1.0	2100
			2100	
done the work satisfactorily,				
as remove the debris from the work spot.				

Assi... ...eer
Vidyaranyapura ... Division
BBMP, Bangalore - 97

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494427

...erial No. .....
...me of Work ..... From..... To.....
...me of Contractor of nature of Agency .....
...te of commencement of work .....

...ate	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
			ABSTRACT STATEMENT				
SL NO	Particulars	Unit	From	To	Qty	Rate	Amount in Rs.
1)	Providing and Removing centering & shuttering (columns)	m^2	—	—	96.04	240.00	23050.00
2)	—11— (For chajjas)	m^2	—	—	5.76	250.00	1440.00
3)	—11— (For Roofs)	m^2	—	—	379.86	310.00	117757.00
4)	M_{20} (1:1.5:3)	m^3	—	—	53.37	6600.00	352242.00
5)	RCC of mix M_{20}	m^3	—	—	5.76	450.00	2592.00

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Reference to last Measureme
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
6)	TMT steel	QH	-	-	64.45	7450.00	480153.00
7)	RBM with cm 1:6	Cum			57.46	6200.00	319052.00
8)	water proof Treatment	m^2			213.20	820.00	174824.00
9)	12mm Thick cement plaster single coat	m^2			221.00	180.00	39780.00
10)	20mm Thick -"-	m^2			319.92	220.00	70382.00
11)	lime rendering	m2			540.92	28.00	15146.00
12)	Black Boards in cm 1:3	m2			10.53	950.00	10004.00
13)	18mm Thick cement plaster	m2			262.65	190.00	49904.00
14)	steel door frames.	m2			7.56	3900.00	29484.00
15)	steel window frame	m2			10.80	4300.00	46440.00

al No. .....
ne of Work .....
ne of Contractor of nature of Agency
e of commencement of work .....

e	Full description, etc, of work
	2
16)	Flooring with 25 to 40mm Thick polished Tandur blue stone slabs
17)	oil Bound Washable
18)	finishing External walls
19)	Groove cutting
20)	Teak wooden box 10"x7"x3"
21)	8"x6"x3"
22)	Junction Box 32mm
23)	Deep 32mm Junction Box

REMENT BOOK

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
-	-	64.45	7450.00	480153.00
		87.46	6200.00	319052.00
		213.20	820.00	174824.00
		221.00	180.00	39780.00
		319.92	220.00	70382.00
		540.92	28.00	15146.00
		10.53	950.00	10004.00
		262.65	190.00	49904.00
		7.56	3900.00	29484.00
		10.80	4300.00	46440.00

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494428

rial No. .....

me of Work ..... From..... To.....

me of Contractor of nature of Agency .....

e of commencement of work .....

te	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
6)	Flooring with 25 to 40mm thick polished Thondur blue stone slabs →	m2			222.80	1100.00	245080.00
7)	oil Bound Washable →	m2			540.92	65.00	35160.00
8)	finishing external walls	m3			262.65	88.00	23113.00
9)	Groove cutting —	mts			45.00	70.00	3150.00
0)	Teak wooden box 10"x7"x3"	Each			5.00	70.00	350.00
1)	8"x6"x3"	Each			5.00	55.00	275.00
2)	Junction Box 32mm	Each			15.00	32.00	480.00
3)	Deep 32mm Junction Box				8.00	35.00	280.00

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	24) Fan Box 18/SWG				5.00	60.00	300.00
	25) copper wire with switch short point upto 3mts				8.00	190.00	1520.00
	26) Medium point above 3mts upto 6mt				10.00	280.00	2800.00
	27) Long point above 6mts upto 10mts				6.00	380.00	2280.00
	28) Modular Switch (1 to 3 modular Box)				6.00	85.00	510.00
	29) 8 modular —11—				6.00	185.00	1110.00
	30) Modular Switch				15.00	100.00	1500.00
	31) 6 Amps 3way Socket				6.00	185.00	1110.00
	32) Stepped fan Regulator				6.00	540.00	3240.00
	33) Florescent tube				9.00	400.00	3600.00
	34) Capacitor				6.00	2000.00	12000.00
	35) 32 Amps Security Energy saving DP.				1.00	650.00	650.00

rial No. .....
me of Work .....
me of Contractor of nature of Agency .....
te of commencement of work .....

ite	Full description, etc, of work
	2
36)	Circuit breakers
37)	Polished Wood board of 15 mm (20" x 20" x 2.5") Thick
38)	porcelain fuse channel cut out
39)	IC cutouts (Earth Electrode for Grounding)

(:; Rupe

Ao

AE.

25/01/20

EMENT BOOK

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
		5.00	60.00	300.00
		8.00	190.00	1520.00
		10.00	280.00	2800.00
		6.00	380.00	2280.00
		6.00	85.00	510.00
		6.00	185.00	1110.00
		15.00	100.00	1500.00
		6.00	185.00	1110.00
		6.00	540.00	3240.00
		9.00	400.00	3600.00
		6.00	2000.00	12000.00
		1.00	650.00	650.00

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494429

erial No. .....
ame of Work ..... From..... To.....
ame of Contractor of nature of Agency .....
te of commencement of work .....

ate	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
36)	Circuit breakers				1.00	580.00	580.00
37)	Polished Wood board of 15 mm (20"x20"x2.5") Thick				1.00	295.00	295.00
38)	porcelain fuse channel cut out				3.00	110.00	330.00
39)	IC cutouts (Earth Electrode for Grounding)				1.00	2100.00	2100.00
						Total :	2074063=00

(Rupees Twenty lakhs Seventy four thousand sixty three only.)

AE

25/07/2018

Assistant Executive Engineer
Vidyaranyapura Sub Division
BBMP, Bangalore - 97

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8



28/7/2018.

AE.

rial No. .....
me of Work .....
me of Contractor of nature of A
te of commencement of work

ate	Full description, etc, of
	2

REMENT BOOK

er	Dimensions: Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494430

rial No. .....
me of Work ..... From..... To.....
me of Contractor of nature of Agency .....
te of commencement of work .....

ate	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	ಬಿಲ್ಲು ಮೊಬಲಗು ರೂ 20,74063-00 ಗಳಿಸಿದ ಪಾಸ್ಟು ಮಾಡಿದೆ : ಇಪ್ಪತ್ತೆರಡು ರೂ 66134-00 ಮೊಬಲಗು ಮಾಡಿಕೊಂಡು ಉಳಿದ ಮೊಬಲಗು 20,07,929-00 Rs: Twenty Lakh seven Thousand nine hundred Twenty nine only. ಬಿಲ್ಲು ಮಾಡಿದವರ ನೀಡಬೇಕಾಗಿದೆ ತಿಳಿಸಿದೆ					Total Rs: 20,74,063-00 IT. 20741-00 Cess 20741-00 CBT- 2074-00 LR- 10370-00 Fine- 12208-00 Add 66134-00 Cheque: 20,07,929-00	